Ethyl Alcohol 99%

MSDS

Section 1: **Product and Company Identification**

Ethyl Alcohol 99%

Synonyms/General Names: Ethanol, Ethyl alcohol

Section 2: **Hazards Identification**

Clear, colorless liquid, alcohol odor.

WARNING! Flammable liquid and moderately toxic by ingestion.

Target organs: Eyes, Liver, Kidneys, Central Nervous System.

Flammable liquid, keep away from all ignition sources.

| Health | 2 |
|-------------|---|
| Fire Hazard | 3 |
| Reactivity | 0 |

HMIS (0 to 4)

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Section 3: **Composition / Information on Ingredients**

Ethyl Alcohol (64-17-5), $\geq 99\%$.

Section 4: **First Aid Measures**

Always seek professional medical attention after first aid measures are provided.

Immediately flush eyes with excess water for 15 minutes, lifting lower and upper eyelids occasionally. **Eyes:**

Skin: Immediately flush skin with excess water for 15 minutes while removing contaminated clothing.

Ingestion: Call Poison Control immediately. Aspiration hazard. Rinse mouth with cold water. Give victim 1-2 tbsp of

activated charcoal mixed with 8 oz water.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration.

Section 5: **Fire Fighting Measures**

Class IB Flammable Liquid. When heated to decomposition, emits acrid fumes

Protective equipment and precautions for firefighters: Use foam or dry chemical to extinguish fire.

Firefighters should wear full fire fighting turn-out gear and respiratory protection (SCBA). Cool container with water spray. Material is not sensitive to mechanical impact. Material is sensitive to static discharge.



Section 6: **Accidental Release Measures**

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Remove all ignition sources and ventilate area. Contain spill with sand or absorbent material and place material in a sealed bag or container for disposal. Wash spill area after pickup is complete. See Section 13 for disposal information.

Section 7: **Handling and Storage** Red

Handling: Use with adequate ventilation and do not breathe dust or vapor. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly after handling.

Storage: Store in Flammable Area [Red Storage] with other flammable materials and away from any strong oxidizers. Store in a dedicated flammables cabinet. Store in a cool, dry, well-ventilated, locked store room away from incompatible materials.

Section 8: **Exposure Controls / Personal Protection**

Use ventilation to keep airborne concentrations below exposure limits. Have approved eyewash facility, safety shower, and fire extinguishers readily available. Wear chemical splash goggles and chemical resistant clothing such as gloves and aprons. Wash hands thoroughly after handling material and before eating or drinking. Use NIOSH-approved respirator with an acid/organic cartridge. Exposure guidelines: Ethyl Alcohol: OSHA PEL: 1900 mg/m³ and ACGIH TLV: 1000 ppm, STEL: N/A.

MSDS Ethyl Alcohol 95%

Section 9: Physical and Chemical Properties

Vapor Density (air=1)1.59.SolubilityCompletely soluble in water.Melting Point-114°C.Evaporation rate3.3 (Butyl acetate = 1).

Boiling Point/Range 78.5°C. **Partition Coefficient** -0.32 ($log P_{OW}$).

 Vapor Pressure (20°C)
 59.3 mm Hg.
 pH
 N/A.

 Flash Point:
 17°C (63°F) CC.
 UEL
 3.3%.

 Autoignition Temp.:
 363°C (685°F).
 LEL
 19 %.

N/A = Not available or applicable

Section 10: Stability and Reactivity

Avoid heat and ignition sources.

Stability: Stable under normal conditions of use.

Incompatibility: Oxidizers, nitric acid, sulfuric acid, aldehydes, halogens, peroxides, acid anhydrides, ammonia, alkali metals

Shelf life: Indefinite if stored properly.

Section 11: Toxicology Information

Acute Symptoms/Signs of exposure: *Eyes*: Stinging pain, watering of eyes, inflammation of eyelids and conjunctivitis. *Skin*: Insensitivity to pain, feel of coolness or cold, skin looks white and feels hard and cold. *Ingestion*: Breath has sweet, organic odor, metal confusion, drowsiness, nausea, vomiting and headache. *Inhalation*: Rapid irregular breathing, headache, fatigue, mental confusion, nausea and vomiting, giddiness and poor judgment, convulsions and death. **Chronic Effects:** Repeated/prolonged skin contact may cause dryness or rashes.

Sensitization: none expected

Ethyl Alcohol: LD50 [oral, rat]; 7060 mg/kg; LC50 [rat]; 20,000 mg/l (10 hours); LD50 Dermal [rabbit]; 20 mg/24H MOD Material has not been found to be a carcinogen nor produce genetic, reproductive, or developmental effects.

Section 12: Ecological Information

Ecotoxicity (aquatic and terrestrial): Ecological impact has not been determined

Section 13: Disposal Considerations

Check with all applicable local, regional, and national laws and regulations. Local regulations may be more stringent than regional or national regulations. Small amounts of this material may be suitable for sanitary sewer or trash disposal.

Section 14: Transport Information

DOT Shipping Name:Ethanol.Canada TDG:Ethanol.DOT Hazard Class:3, pg II.Hazard Class:3, pg II.Identification Number:UN 1170.UN Number:UN 1170.

Section 15: Regulatory Information

EINECS: Listed (200-578-6). WHMIS Canada: Not WHMIS controlled. TSCA: All components are listed or are exempt. California Proposition 65: Not listed.

The product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Section 16: Other Information

Current Issue Date: Oct 23,2019